




PLASTICA/PLASTIC



www.starcut.it

Starcut è nata da un'esperienza ventennale nella progettazione e produzione di utensili da taglio per seguire le nuove esigenze di mercato e garantire un elevato valore al rapporto **qualità/prezzo**.

Il nostro obiettivo è offrire un servizio completo di **vendita, affilatura e riparazione di lame circolari ed utensili speciali** ai massimi livelli di qualità e per ogni esigenza di taglio.

Possiamo fornire **lame circolari** fino a un diametro di 2000 mm così come **lame a nastro** ed **utensili speciali** per taglio alluminio, metalli, legno, altri materiali composti e derivati.

Il nostro servizio di **affilatura, riparazione e controllo** è in grado di garantire il ripristino delle vostre lame in tempi brevi e la nostra esperienza saprà consigliarvi i prodotti migliori per tutte le vostre esigenze di taglio.



*Starcut was born from a twenty-year experience in planning and manufacturing cutting tools, in order to follow the market new demands and to guarantee an high value to the **quality/price ratio**.*

*Our aim is to offer a **full service of sale, sharpening and repairing circular saw blades and special tools** at the highest standards of quality and for every cutting need.*

*We can supply **circular saw blades** up to a diameter of 2000 mm as well as **band saw blades** and **special tools** for cutting aluminium, metals, wood, other composite materials and by-products.*

*Our **sharpening, repairing and checking** service is able to guarantee the renewal of your saw blades in a short time and our experience can suggest you our better products according to all your cutting needs.*




PLS

LAME CIRCOLARI HM STANDARD

Lame circolari con riporti in metallo duro per taglio di materie plastiche in lastre, tubi, pieni e profilati a misura. Utilizzabili su segatrici manuali, automatiche e centri di lavoro.

STANDARD TCT CIRCULAR SAW BLADES

Tct circular saw blades for plastic materials in sheets, tubes, solids and custom-made profiles cutting. Useful on manual and automatic sawing machines and working centres.



DIAMETRO DIAMETER	SPESSORE THICKNESS	FORO HOLE	DENTI TEETH	CODICE CODE
200	2,5	30/32	24	PLS.
200	2,5	30/32	32	PLS.
200	3,2	30/32	48	PLS.
200	3,2	30/32	60	PLS.
250	3,2	30/32	24	PLS.
250	3,2	30/32	40	PLS.
250	3,2	30/32	60	PLS.
250	3,2	30/32	80	PLS.
300	3,2	30/32	48	PLS.
300	3,2	30/32	72	PLS.
300	3,2	30/32	84	PLS.
300	3,2	30/32	96	PLS.
300	3,2	30/32	120	PLS.
350	3,2	30/32	40	PLS.
350	3,2	30/32	54	PLS.
350	3,5	30/32	72	PLS.
350	3,5	30/32	84	PLS.
350	3,5	30/32	96	PLS.
350	3,5	30/32	108	PLS.
400	3,6	30/32	48	PLS.
400	3,6	30/32	64	PLS.
400	3,6	30/32	84	PLS.
400	3,6	30/32	96	PLS.
400	3,6	30/32	120	PLS.
450	4,0	30/32	36	PLS.
450	4,0	30/32	56	PLS.
450	4,0	30/32	72	PLS.
450	4,0	30/32	108	PLS.
500	4,0	30/32	40	PLS.
500	4,0	30/32	64	PLS.
500	4,0 – 4,6	30/32	72	PLS.
500	4,0 – 4,6	30/32	100	PLS.
500	4,0 – 4,6	30/32	120	PLS.

a richiesta: altre misure/on request: other sizes


PLS-PLUS

LAME CIRCOLARI HM SPECIALI E GRANDI DIAMETRI

Lame circolari in metallo duro con dimensioni e geometrie di taglio idonee per applicazioni speciali e tagli a misura, utilizzabili su segatrici automatiche e centri di lavoro per tagli su pvc, materie plastiche morbide e dure di varie sezioni (lastre, tubi, pieni e profilati), bobine di film e bobine di carta.

SPECIAL TCT CIRCULAR SAW BLADES AND BIG DIAMETER

Tct circular saw blades with dimensions and cutting geometries suitable for special applications and custom-made cuts, useful on automatic sawing machines and working centres for cutting on pvc, soft and hard plastic materials of various sections (sheets, tubes, solids and profiles), film and paper spools.



DIAMETRO DIAMETER	SPESSORE THICKNESS	FORO HOLE	DENTI TEETH	CODICE CODE
400	3,6	30/32	48	PLS-PLUS.
400	3,6	30/32	64	PLS-PLUS.
400	3,6	30/32	84	PLS-PLUS.
400	3,6	30/32	96	PLS-PLUS.
400	3,6	30/32	120	PLS-PLUS.
450	4,0	30/32	36	PLS-PLUS.
450	4,0	30/32	56	PLS-PLUS.
450	4,0	30/32	72	PLS-PLUS.
450	4,0	30/32	108	PLS-PLUS.
500	4,0	30/32	40	PLS-PLUS.
500	4,0	30/32	64	PLS-PLUS.
500	4,0 – 4,6	30/32	72	PLS-PLUS.
500	4,0 – 4,6	30/32	100	PLS-PLUS.
500	4,0 – 4,6	30/32	120	PLS-PLUS.
550	4,6	30/32	80	PLS-PLUS.
550	4,6	30/32	100	PLS-PLUS.
600	4,7	30/32	80	PLS-PLUS.
600	4,7	30/32	100	PLS-PLUS.
600	4,7	30/32	120	PLS-PLUS.
650	5,4	50	100	PLS-PLUS.
650	5,4	50	120	PLS-PLUS.

a richiesta: altre misure/on request: other sizes

PFP

FRESE E INCISORI HM

Incisori in metallo duro piani o conici con spessori a richiesta. Frese con riporti in metallo duro (diametri e spessori a richiesta) piane, alternate o sagomate, per cave, profilature o sagomature a disegno.

TCT MILLING CUTTERS AND SCORINGS

Tct plate or conical scorings with thicknesses on request. Plate, alternate and moulded tct milling cutters (diameters and thicknesses on request) for pits and for profiling and moulding on drawing.



ARTICOLO ITEM	DIAMETRO DIAMETER	LUNGHEZZA LENGHT	SPESSORE THICKNESS	CODICE CODE
Punte Bits	Da / from 4 mm a / to 60 mm	a richiesta on request		PFP.
Frese Cutters	Da / from 100 mm a / to 260 mm		a richiesta on request	PFP.


PLN

M42 LAME NASTRO BIMETALLICHE

Lame a nastro bimetalliche M42 per taglio lastre, billette, tubi e profili in materie plastiche morbide e dure, utilizzabili su segatrici manuali ed automatiche.

M42 BIMETALLIC BAND SAW BLADES

M42 bimetallic band saw blades for sheets, billets, tubes and profiles in soft and hard plastic materials cutting, useful on manual and automatic sawing machines.



ALTEZZA HEIGHT	SPESSORE THICKNESS	DENTI PER POLLICE TEETH FOR INCH	CODICE CODE
6	0,9	4 - 6 - 10 - 10/14 - 14	PLN.
10	0,9	4 - 6 - 10 - 10/14 - 14	PLN.
13	0,65	4 - 6 - 6/10 - 8/12 - 10 - 10/14 - 14 - 18	PLN.
13	0,90	3 - 4 - 6 - 6/10 - 8 - 8/12 - 10 - 10/14 - 14 - 18	PLN.
20	0,9	3 - 4 - 4/6 - 6 - 5/8 - 6/10 - 8 - 8/12 - 10 - 10/14 - 14 - 18	PLN.
27	0,9	2-2/3 - 3 - 3/4 - 4 - 4/6 - 6 - 5/8 - 6/10 - 8 - 8/12 - 10 - 10/14 - 14 - 18	PLN.
34	1,1	2 - 2/3 - 3 - 3/4 - 4 - 4/6 - 6 - 5/8 - 6/10 - 8 - 8/12 - 10	PLN.
41	1,3	2 - 2/3 - 3 - 3/4 - 4 - 4/6 - 6 - 5/8 - 6/10 - 8	PLN.
54	1,3	0,75/1,25 - 1,25 - 1,4/2 - 2 - 2/3 - 3 - 3/4 - 4/6	PLN.
54	1,6	0,75/1,25 - 1,25 - 1,4/2 - 2 - 2/3 - 3 - 3/4 - 4/6	PLN.
67	1,6	0,75 - 0,75/1,25 - 1,25 - 1,4/1,2 - 2 - 2/3 - 3 - 3/4 - 4/6	PLN.
80	1,6	0,75 - 0,75/1,25 - 1,25 - 1,4/2 - 2/3	PLN.

a richiesta: altre misure/on request: other sizes

COLTELLI CIRCOLARI

Coltelli circolari a filo continuo con bisello singolo o doppio bisello per taglio di materie plastiche, pellicole di film, carta, cartone e fibre speciali (diametro, spessori e angoli di taglio a richiesta).

CIRCULAR KNIVES

Circular knives with continuous edge at single or double bevel for plastic materials, pellicles of films, paper, cardboard and special fibres cutting (diameter, thicknesses and cutting angles on request).



DIAMETRO DIAMETER	SPESSORE THICKNESS	FORO HOLE	BISELLO EDGE	CODICE CODE
200	a richiesta <i>on request</i>	30	Singolo – doppio <i>Single – double</i>	CLC.
250	a richiesta <i>on request</i>	30	Singolo – doppio <i>Single – double</i>	CLC.
300	a richiesta <i>on request</i>	30	Singolo – doppio <i>Single – double</i>	CLC.
350	a richiesta <i>on request</i>	30	Singolo – doppio <i>Single – double</i>	CLC.
400	a richiesta <i>on request</i>	30/50	Singolo – doppio <i>Single – double</i>	CLC.
450	a richiesta <i>on request</i>	30/50	Singolo – doppio <i>Single – double</i>	CLC.
500	a richiesta <i>on request</i>	50	Singolo – doppio <i>Single – double</i>	CLC.
550	a richiesta <i>on request</i>	50	Singolo – doppio <i>Single – double</i>	CLC.
600	a richiesta <i>on request</i>	50/80	Singolo – doppio <i>Single – double</i>	CLC.
650	a richiesta <i>on request</i>	50/80	Singolo – doppio <i>Single – double</i>	CLC.
700	a richiesta <i>on request</i>	50/80	Singolo – doppio <i>Single – double</i>	CLC.

SERVIZIO MANUTENZIONE / RIAFFILATURA

LAME CIRCOLARI HM - Servizio riaffilatura e riparazione lame circolari con riporti in metallo duro standard e speciali, diametri da 100 mm fino a 2200 mm, equilibratura statica dei dischi (bilanciatura) e tensionatura, sostituzione placche e rasanti anche di grandi dimensioni, modifiche speciali a richiesta su corpi lama e su geometrie e angoli di taglio dei riporti in widia, riplacchettatura/rigeneratura completa lame circolari.

LAME CIRCOLARI HSS - Servizio riaffilatura e ripristino lame circolari in hss a passo fisso e variabile, rigeneratura completa dei taglienti, ritagliatura/ridentatura lame con passi e geometrie di taglio a richiesta (a-aw-b-bw-tp-can).

LAME CIRCOLARI A SETTORI RIPORTATI - Servizio riaffilatura lame a settori, rettifica borazon, sostituzione settori rotti, modifiche a richiesta su geometrie ed angoli di taglio, diametro massimo lame 2015 mm.

FRESE SPECIALI E SAGOMATE - Servizio riaffilatura e ripristino frese standard e speciali, diametri e spessori anche di grandi dimensioni, sagome a campione o disegno, sostituzione placche, modifiche speciali a richiesta.

COLTELLI CIRCOLARI - Servizio riaffilatura e ripristino coltelli circolari, a singolo o doppio bisello, esecuzione scarichi, tensionatura dischi, a richiesta modifiche ed affilature speciali a disegno o campione.

LAME E COLTELLI LINEARI - Servizio riaffilatura e rettifica lame lineari taglierine e lame piegatrici, coltelli per pialle, macinatori, cippatori e canter, modifiche a richiesta su angoli di taglio e sagome dei coltelli.

LAME NASTRO - Servizio riaffilatura lame a nastro, stradatura, saldature e tensionature, ristelliture su lame per grandi segatrici e impianti per segheria.

MAINTENANCE / REGRINDING SERVICE

TCT CIRCULAR SAW BLADES - Regrinding and repairing service for tungsten carbide tipped standard and special circular saw blades, diameters from 100 mm to 2200 mm, static balancing and tensioning of discs, replacement of carbide tips and scrapers of big dimensions too, special modifying on request for blade bodies And for geometries and cutting angles of carbide tips, replacement of all tips / complete reconstruction of circular saw blades.

HSS CIRCULAR SAW BLADES - Regrinding and reconditioning of hss circular saw blades with fixed or variable pitch, complete regenerating of edges, cutting out / reconstruction of edges with pitches and cutting geometries on request (a-aw-b-bw-tp-can).


SEGMENTAL SAW BLADES - Segmental saw blades regrinding service, borazon regrinding, replacement of broken segments, Modifying on request for geometries and cutting angles, 2015 mm maximum diameter of saw blades.

SPECIAL AND SHAPED MILLING CUTTERS - Regrinding and reconditioning of standard and special milling cutters, diameters and thicknesses of Big dimensions too, shapes on sample or drawing, replacement of carbide tips, special modifying on request.

CIRCULAR KNIVES - Regrinding and reconditioning of circular knives, at single or double edge, escapes execution, tensioning and balancing of discs, modifying and special sharpening on request according to drawing or sample.

LINEAR BLADES AND KNIVES - Sharpening and regrinding of cutting and bending linear blades, planers knives, mills, chippers And canter, modifications on request for cutting angles and shapes of knives.

BAND SAW BLADES - Band saw blades sharpening, setting, welding and tensioning, restelliting on blades for big sawing machines and sawmill plants.





STARCUT s.r.l.
Via Marmolada, 25/27
20095 Cusano Milanino - Milano (Italy)
Tel.: +39/0261359708 - Fax +39/0266405500
starcut@starcut.it - www.starcut.it